

Appln. No. 10/782,099  
Amendment dated October 27, 2005  
Reply to Office Action mailed July 27, 2005

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims** (deleted text being struck through and added text being underlined):

1. (Currently Amended) A watch for displaying a time to be read by a user, the watch comprising:

a housing assembly ~~being adapted for~~ having a size making capable of ~~for~~ being worn by the user on an arm of the user;

a timing assembly being positioned in said housing assembly, said timing assembly being operationally coupled to a power supply such that said power supply supplies power said timing assembly, said timing assembly being adapted for providing a pulse every second when said power supply supplies power to said timing assembly;

a processing assembly being positioned in said housing assembly, said processing assembly being operationally coupled to said power supply such that said power supply supplies power to said processing assembly, said processing assembly being operationally coupled to said timing assembly such that said processing assembly receives the pulse from said timing assembly and processes the pulse into a time to be displayed on a display member operationally coupled to said processing assembly [[[.]]] :

wherein said processing display member displaying minutes displays time calculated by said processing assembly, said display member simultaneously displaying time in hours and minutes and in hours and hundredths of an hour.

2. (Currently Amended) The watch as set forth in claim 1, ~~further comprising:~~

~~said housing assembly comprising a main member, said display member being coupled to said main member such that said display member is adapted for being selectively viewed by the user, said main member being~~

Appln. No. 10/782,099  
Amendment dated October 27, 2005  
Reply to Office Action mailed July 27, 2005

~~adapted for being worn on the user to allow the user to selectively view said display member wherein said display of time in hours and hundredths of an hour is displayed with a legend "POSTAL TIME".~~

3. (Currently Amended) The watch as set forth in claim [[[2]]] 1, further comprising:

said housing assembly comprising a main member, said display member being coupled to said main member such that said display member is adapted for being selectively viewed by the user, said main member being adapted for being worn on the user to allow the user to selectively view said display member;

said housing assembly comprising a plurality of strap members, each of said strap members being coupled to said main member such that each of said strap members extends outwardly from said main member, one of said strap members being selectively coupled to the other one of said strap members such that said strap members form a loop, said strap members being selectively positioned around an arm of the user to couple said main member to the user.

4. (Original) The watch as set forth in claim 1, further comprising:  
a plurality of buttons being operationally coupled to said housing assembly, each of said buttons being operationally coupled to said processing assembly, each of said buttons being for actuating said processing assembly for altering the information displayed on said display member when said buttons are actuated by the user.

5. (Original) The watch as set forth in claim 1, further comprising:  
said display member comprising a plurality of information display areas, one of said information display areas displaying the date from said processing assembly, one of said information display areas displaying the time from said processing assembly, one of said information display areas displaying the time in hours and hundredths of an hour.

Appln. No. 10/782,099  
Amendment dated October 27, 2005  
Reply to Office Action mailed July 27, 2005

6. (Currently Amended) A watch for displaying a time to be read by a user, the watch comprising:

a housing assembly ~~being adapted for~~ having a size making capable of  
~~for~~ being worn by the user on an arm of the user;

a timing assembly being positioned in said housing assembly, said timing assembly being operationally coupled to a power supply such that said power supply supplies power said timing assembly, said timing assembly being adapted for providing a pulse every second when said power supply supplies power to said timing assembly;

a processing assembly being positioned in said housing assembly, said processing assembly being operationally coupled to said power supply such that said power supply supplies power to said processing assembly, said processing assembly being operationally coupled to said timing assembly such that said processing assembly receives the pulse from said timing assembly and processes the pulse into a time to be displayed on a display member operationally coupled to said processing assembly [[[.]]]

wherein said processing display member displaying minutes displays time calculated by said processing assembly, said display member simultaneously displaying time in hours and minutes and in hours and hundredths of an hour;

wherein said display of time in hours and hundredths of an hour is displayed with a legend "POSTAL TIME";

said housing assembly comprising a main member, said display member being coupled to said main member such that said display member is adapted for being selectively viewed by the user, said main member being adapted for being worn on the user to allow the user to selectively view said display member;

said housing assembly comprising a plurality of strap members, each of said strap members being coupled to said main member such that each of said strap members extends outwardly from said main member, one of said

Appln. No. 10/782,099  
Amendment dated October 27, 2005  
Reply to Office Action mailed July 27, 2005

strap members being selectively coupled to the other one of said strap members such that said strap members form a loop, said strap members being selectively positioned around an arm of the user to couple said main member to the user;

a plurality of buttons being operationally coupled to said housing assembly, each of said buttons being operationally coupled to said processing assembly, each of said buttons being for actuating said processing assembly for altering the information displayed on said display member when said buttons are actuated by the user; and

said display member comprising a plurality of information display areas, one of said information display areas displaying the date from said processing assembly, one of said information display areas displaying the time from said processing assembly, one of said information display areas displaying the time in hours and hundredths of an hour.